Auto Motive Spare Car Part Plastic Injection Moulds





ABIS Mold was found in 1996 in Shezhen, adjacent to HK, China. and we moved to Long gang District in 2010. With the advanced facilities from Germany, Switzerland and Japan, and a highly experienced design and engineering team. Our molding press machine ranges from 40T to 650T, 300+ molds capacity each year, and 70% are exported to Europe and North America.

In addition to our plastic mold and molding specialties, we also can provide you the services such us die casting, stamping /punching, blowing mold, as well as the secondary process.

Product Description

Part Name	Auto Motive Spare Car Part Plastic Injection Moulds
Description	Plastic Injection Mould /Plastic Auto Moul
Country of Original	China (ShenZhen)
Current Export Market	North America
Lead Time	30 Days

Key Specification

- 1. Plastic Injection Over Mould
- 2. Cold Runner Mould
- 3. Plastic Injection Connector Mould

- 4. 1*4 Cavity , Ultramid A3K PA66 Material
- 5. H13 Steel
- 6. Two Plate Mould
- 7. DME Standard Accessories
- 8. Cycle Time 45s
- 9. Press 350 Tons

General Information

Item#	Item	Description
1	Mold standard	DME or HASCO
2	Mold Base	LKM,DME, HASCO, FUTABA
3	Cavity/Core Steel	H13,S-7,S136,SS420,NAK80,P20
4	Hot Runner:	MOULD MASTER, MASTER TIP, HUSKY, HASCO, DME, YUD INCOE, THERMOPLAY, <u>SYNVENTIVE</u> .
5	Hydraulic Cylinder	PARKER, TAIYO, STAUBLI, JUFAN
6	Mold Components	DME, Progressive, PCS, Punch, Royal, etc
7	Steel Treatment	Heat Treatment, Nitriding, Chrome Plating
8	Surface Finish:	SPI standard, VDI EDM, Texture, etc
9	Texture:	Mold-tech, Yick Sang, Ni Hong ,Tanazawa etc
10	Plastic Material	PP, PC, ABS, PE, HDPE, PET, POM, PMMA, PA(GF), PBT(GF PVC, PPS, PEI, PEEK, LCP, PSU
11	Design Software:	CAD,UG, Pro E, Solidworks
12	Value-added Service:	Dust-free Spraying, Silk-screen Printing, Ultrasonic Welding, Thermal Bonding, Assembling, Prototype
13	Export Country:	Europe, USA, Canada, Mexico, Brazil, Australia ,Middle-east , India etc

14	Our Capability:	Auto, Aerospace, Household, Electrical, Industrial, Medial, Toys Office, Cosmetic, Outdoor, OA Equipment etc
----	-----------------	--

Processing Equipment

NAME OF MACHINE	BRAND	Q'	PLACE OF
TV (WE OF W/ COTTIVE	BIV IIVB	TY	ORIGIN
CNC	DMG	1	Germany
CNC	YCM-FP66A	2	Taiwan
EDM AQ35L	SODICK	3	Japan
Wire EDM AQ327L	SODICK	2	Japan
EDM	CHARMILLES-35P	2	Swiss
EDM	TAIWAN NUMERIC CONTROL	6	Taiwan
Wire cutting machine	QIGNYUAN	4	Shanghai
digital display milling machine	YINGSHUN	8	Taiwan
digital display grinding machine	SUHRE	8	Taiwan
Injection molding machine	HAITIAN	11	China
3 Dimension Coordinate	DABAO	1	Taiwan
digital display projection apparatus		1	China

Dimension Report and Sampling Parameter



TEL: +86-755-89984896 EXT:821 FAX:+86-755-28960682 Building B,Ying-Ke-Li Industri Area,Long-Gang District.Shenzhen City,Guang-Dong Province,China P.C:518116

Dimension Inspection Report Mold Trial# Customer SMR T1 Metric Project# Phase 2 Trial date 2014.12.29 Inspection date 2015.01.08 Picture Mold number ABIS 2014128 Inspector Part Name 8876 SCALP without TS_RH Mr. Li Part / Draw# 60063006D#2 Material ABS MP 0160R Manager Inspection Tools: Block gauge (BG), Caliper (CP), Coordinate Measuring Machine (CMM), Height gauge (HG), Micrometer (MM), Projector (PJ), Pingauge (PG), Pad (PG), Thickness gauge (TG) Dimension spec Shot1 Shot 2 Shot 3 Shot 4 Judg ment Inspection Tolerance Dim# Dimension 1 2 1 2 1 2 1 2 OK/NG Pe ma Took 0.20 1-1 1.19 1.23 1.22 1.24 1.22 1.23 1.20 1.21 0.20 0.20 1-2 1.21 1.20 1.21 1.23 1.22 OK 0.20 0.20 1.51 1.52 1.51 1.50 0.20 0.20 1.52 1.52 1.52 1.51 1.53 1.49 1.51 0.20 0.20 1.51 1.52 1.52 1.52 1.51 1.49 2-9 1.50 1.50 1.50 0.20 0.20 3-1 1.70 PJ 1.72 1.69 1.70 1.69 1.70 1.71 1.73 1.70 OK 0.20 0.20 3-2 1.70 PJ 1.71 1.72 1.69 1.70 1.71 1.72 1.71 1.72 OK 0.20 0.20 3-3 1.70 PJ 1.71 1.72 1.71 1.70 1.69 1.70 1.69 1.71 OK 0.20 0.20 3-4 1.70 1.71 1.72 1.71 1.73 1.71 1.70 1.69 1.70 OK PJ 0.20 0.20 1.72 1.73 1.70 1.71 1.71 1.73 1.71 1.71 1.72 OK 3-5 PJ 0.20 #REF 3-6 1.70 + 0.20 PЈ 1.71 1.72 1.73 1.71 1.72 1.71 1.72 Mz. Lillian Mr. Zhang Prepared Checked Mr. Li Approved 2015.01.10 2015.01.08 Date 2015.01.08 Date Date To be completed by customer:


	PX.		
	V2	526	Signature:
Pesult:	☐ Pass	Fl Fail	FI Special Acceptance


ABIS MOLD INJECTION PARAMETER REPORT

> 콧물Shot Typ	e: 🗸	単色	One sh	ot mold	双色	第-	-४६1st shot of 2-sh	not		双:	色第二次2nd s	hot o	f 2-sh	ot
英具编号	0-21. C.X.	11	700	品名称			模具规格(mm)	4		试模次			() ()
ool No.				rt Name			ToolL*W*H				Test tim		\dashv	
真腔数量 ₹ Cavity			1000	胶原料 w Material			颜色 Color				项目负: Project	Mana	ger	
□品总重量				<u> </u>			试模数量(啤	X)			设计工			
Gross Wt(g)			_	ess Type			Shot Qty				Design			
改模日期 Test Date				(1.8번(데 ginning Time			完成时间 Finish Time				审核Re /日期Da		d	
试模算的准备	·试模单	产品			冥温计、	油铝	机、温控箱、电子	天平	坂	相机、打	- M. 123 ASTES A. UK		口直径) 等工
条注Comments														
成型多量表M	olding l	ar am	eter SI	heet:										
			e Time						射機	温度No	zzle Temp'C			
野山町	填充时	-			¥		2		-		ne 1 Temp'C			
Time(s)			ing Time						_		ne 2 Temp'C		- 1	
			ing Time		1		-		$\overline{}$		ne 3 Temp 'C		-	
	1,202	-1000		®1st Stage			温度设定		_		ne 4 Temp C			
	射胶压	カ	2000	CLOSE TO THE COURSE	V		Temp('C) Se	etup			ot Runner Te	mn i-		
525023	Injectio			®2nd Stage					-		Cavity Temp	-		
压力Pressure (Bar) (1Mpa=10Bar =145Psi)	Pressu	re	2,17	®3rd Stage	-		-		-		Core Temp.	_	-	
(Bar)	3			∰4th Stage					-			-	\rightarrow	
/1Mrs=10Bar	保压压	カ		®1st Stage	9		- 10				Side Temp.	_		
	Holding		uic -	®2nd Stage					ØInjection Spe					
	A			®3rd Stage			-	-			射胶速率二段Injection Speed2			
	储料压力Charge Pressure							速度或速率 Percent of			射胶速率三段Injection Speed3			
位置 Position(mm)		常压Back Pressure									射胶速率四段Injection Speed4 保压速率一1st Holding Speed			
	-		•	Position			Speed(mm's	-						
	射胶位	射胶位置2nd Inj. End Position					Flow Rate(g/s)				nd Holding Sp			
	射胶位	₹3rd	lnj. End	Position				保压转换Turn Hold(time/pos.)						
	射胶终	射胶终止位置Inj. End Position						· ·			熔胶速率Charge Speed			
	熔胶终	止位置	Melt En	d Position	Ž.		原料干燥	千燥温度Drying Temp(に)						
	射退位	∑ Sud	k Back B	ind Position			Raw Mater	ial	干燥	ef何Dry	ing Time(H)			
	领模压	力Clan	np Press	ure),				机水Normal	Water	r	
100000	开模压	力 Ope	ning Pre	ssure			65		前棋表面 Cavity		热油Hot Oil			
模具 Tool	顶出行	€Ejec	tion Stro	oke	Ž.		S constitution			urface	冻水Cool Water			
1001	顶出次	∰Cour	nt of Eje	ction			1 1 2 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	实际模温		模表面	机水Normal Water		-	
			Action(2 6 6 7 6 7 6 6 6 6 6 7 7	Actual			格油Hot Oil			
VE-10	托模进			カPressure				Temperature		urface	冻水Cool Wa	ater		
項出	Forwa			党Speed	y		(-)	(%)		位表面	机水Normal Water			
Ejection	托模堤			hPressure					100	Slide	热油Hot Oil	V VOICE		
(%)	Backw		-	†Speed			-		750.5	urface	冻水Cool Wa	ator	_	
产品外展问题							40		0		1050 Jacobal VV	aici	40	
粘前模Sticki				光不良Poor Polis	hino	100	按锁Flash			型·维Str	ess Crack		法会	紋Weld L
粘后模Sticki				出不顺Uneven E	_		顶台Ejector Marks							Dark Sp
水印Water V				花Scratch Mark			变形Deformation		映射痕Jetting 執股Short Filin					Burn Ma
冷料流痕Col				Gas Trap Effe			缩水Sink Marks			段發Ga				Air Bubb
试模过程检查		_					PE/JOHIK WELKS			60,3500	,		Libr	VII DUDO
千合模动作检查				模具透水检查		_		流光	平度	松春. 1	真充30%、60%	% 90	19%	
真具顶出动作检验	=			快速填充检查		. "					2、缩水与变		-	
试想用题点基		Z/Con	nment			.0		-262			an 100	_	40	
問題: 产品毛边/														
対策: 飞模/流道		97 m +r	大/)&#</td><td>4.地大</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>言录Record</td><td>1</td><td></td><td>_</td><td>##Date</td><td></td><td></td><td>审核Reviewe</td><td>d</td><td></td><td></td><td>日期Dai</td><td>te.</td><td></td><td></td></tr><tr><td>ACTOR ACCOUNTS</td><td>2</td><td></td><td>(LI)</td><td>N,DOIL</td><td></td><td></td><td>+ Stute MEW 6</td><td>-</td><td></td><td></td><td></td><td>-</td><td>- 6</td><td></td></tr></tbody></table>											

Project Procedure

ABIS -- Project Procedure






Payment Terms

- 1. T/T: 40% Deposit,30% upon T1 Sample,30% Balance before ship ment
- 2. L/C: irrevocable 100% L/C at sight.

Workshop



Certification





Tooling Shop



QC Control

Mold Making QC main steps

Mould Design Control: Design review checklist before submitting to the customer. We will not start the steel purchasing work until get your written approval on our mold drawing.

Incoming quality control: all steel material and outsourcing standard components will be checked to ensure that they are in accordance with the BOM(QTY and material/components name specified).

In process quality control: all the machining and assembling process is under control, we have QC team to check and supervise the tolerance and processed surface to satisfy the requirements. (Mould Steel Hardness Inspection, Mould Electrodes Inspection, Mould Core and Cavity Steel Dimension Inspection, Mould Pre-Assembly Inspection)

Final quality control: within 3 days the completion of the plastic mold, we will have a thorough check for the main size of the molded plastic sample and mold to ensure that the critical or full dimension (if required) are within tolerance.

Mould Pre-Shipment Final Inspection: Free-fumigation threeplywood case packing; make sure the mold is conformity to the approved mold drawing. The spare components and easily broken components and the electrode (if required) are packaged, as well as the mold drawing and some certificated.

Plastic Molding QC main steps

Vernier caliper measurement is performe trained operators when the first product our machine, we check the contour dimer assembly status (if exist) to identify if any

The molded parts are then inspected agai experienced QA department for the full despecially the critical dimensions set by conquality result was recorded at the same to Result will be to our QC Supervisor directly unqualified dimensions (if exist) are caused uncontrolled factors or our mistakes and the related actions to improve it.

We will trustily report the T1 result to customers for checkin sometimes T1 samples need improvement samples are required by customer at first, actions to improve the mold to make sure have 0 defects. No shrinkage, warpage, flustreak, air bubble, step line, ejector mark, dimension within tolerance.

Package inspection: make sure QTY/color and weight are correct.

Packaging & Delivery

Packaging Details: Free-Fumigation Three-Plywood case

Delivery Detail: 25-35 days by sea, 3-7 days by air



Our ABIS Family











ABIS MOLD TECHNOLOGY CO., LTD



We will give our best service, quality, price and delivery time!

If you have any question just call me or send E-mail to me please!

ABIS MOLD TECHNOLOGY CO.,LTD

Daisy Wang (Overseas sales)

Web: www.abismold.com

Cell: +86-15016526799

Skype: daisymold@outlook.com

Email: Daisy@abismold.com

Add: Building B#, YingKeli Industrial Part, LongDong Community,

LongGang District, Shenzhen, China 518116

FAQ

Q: Can you do post production?

A:Some customers in addition to plastic injection require post proce ssing, assembly of their products and packaging.

Q:

Is it possible to know how are my products going on without visiting your company?

A:We will offer a detailed production schedule and send weekly reports with digital pictures and videos which show the machining progress.

Q: If you make poor quality goods, will you refund our fund?

A: As a matter of fact, we won't take a chance to do poor quality products. Meanwhile, we manufacture goods quality products until your satisfaction.

Q: What is the software you will use to check the drawing? And what is format of drawing you can check?

A: Our designers and engineers all use VISI and UG to check 2D and 3D drawings.

We can check the drawing with PDF .AI, DWG ,STP or IGS formats.

Q:How can you confirm the plastic injection mold you produce is the one we need?

A: we can provide professional mold analysis reports before mold making.

Q:What can we do if we don't have the mold drawing?

A: you will only provide the actual sample to us then we can help you to make the design injection mold drawings for your confirmation.

Auto Motive Spare Car Part Plastic Injection Moulds





ABIS Mold was found in 1996 in Shezhen, adjacent to HK, China. and we moved to Long gang District in 2010. With the advanced facilities from Germany, Switzerland and Japan, and a highly experienced design and engineering team. Our molding press machine ranges from 40T to 650T, 300+ molds capacity each year, and 70% are exported to Europe and North America.

In addition to our plastic mold and molding specialties, we also can provide you the services such us die casting, stamping /punching, blowing mold, as well as the secondary process.

Product Description

Part Name	Auto Motive Spare Car Part Plastic Injection Moulds
Description	Plastic Injection Mould /Plastic Auto Moul
Country of Original	China (ShenZhen)
Current Export Market	North America
Lead Time	30 Days

Key Specification

- 1. Plastic Injection Over Mould
- 2. Cold Runner Mould
- 3. Plastic Injection Connector Mould
- 4. 1*4 Cavity , Ultramid A3K PA66 Material
- 5. H13 Steel

- 6. Two Plate Mould
- 7. DME Standard Accessories
- 8. Cycle Time 45s
- 9. Press 350 Tons

General Information

Item#	Item	Description
1	Mold standard	DME or HASCO
2	Mold Base	LKM,DME, HASCO, FUTABA
3	Cavity/Core Steel	H13,S-7,S136,SS420,NAK80,P20
4	Hot Runner:	MOULD MASTER, MASTER TIP, HUSKY, HASCO, DME, YUD INCOE, THERMOPLAY, <u>SYNVENTIVE</u> .
5	Hydraulic Cylinder	PARKER, TAIYO, STAUBLI, JUFAN
6	Mold Components	DME, Progressive, PCS, Punch, Royal, etc
7	Steel Treatment	Heat Treatment, Nitriding, Chrome Plating
8	Surface Finish:	SPI standard, VDI EDM, Texture, etc
9	Texture:	Mold-tech, Yick Sang, Ni Hong ,Tanazawa etc
10	Plastic Material	PP, PC, ABS, PE, HDPE, PET, POM, PMMA, PA(GF), PBT(GF PVC, PPS, PEI, PEEK, LCP, PSU
11	Design Software:	CAD,UG, Pro E, Solidworks
12	Value-added Service:	Dust-free Spraying, Silk-screen Printing, Ultrasonic Welding, Thermal Bonding, Assembling, Prototype
13	Export Country:	Europe, USA, Canada, Mexico, Brazil, Australia ,Middle-east , India etc
14	Our Capability:	Auto, Aerospace, Household, Electrical, Industrial, Medial, Toys Office, Cosmetic, Outdoor, OA Equipment etc

Processing Equipment

NAME OF MACHINE	BRAND	Q' TY	PLACE OF ORIGIN
CNC	DMG	1	Germany
CNC	YCM-FP66A	2	Taiwan
EDM AQ35L	SODICK	3	Japan
Wire EDM AQ327L	SODICK	2	Japan
EDM	CHARMILLES-35P	2	Swiss
EDM	TAIWAN NUMERIC CONTROL	6	Taiwan
Wire cutting machine	QIGNYUAN	4	Shanghai
digital display milling machine	YINGSHUN	8	Taiwan
digital display grinding machine	SUHRE	8	Taiwan
Injection molding machine	HAITIAN	11	China
3 Dimension Coordinate	DABAO	1	Taiwan
digital display projection apparatus		1	China

Dimension Report and Sampling Parameter



TEL: +86-755-89984896 EXT:821 FAX:+86-755-28960682 Building B,Ying-Ke-Li Indust Area,Long-Gang District.Shenzhen City,Guang-Dong Province,China P.C:518116

Dimension Inspection Report Mold Trial# Customer SMR T1 Metric Project# Phase 2 Trial date 2014.12.29 Inspection date 2015.01.08 Picture Mold number ABIS 2014128 Inspector Part Name 8876 SCALP without TS_RH Mr. Li Part / Draw# 60063006D#2 Material ABS MP 0160R Manager Inspection Tools: Block gauge (BG), Caliper (CP), Coordinate Measuring Machine (CMM), Height gauge (HG), Micrometer (MM), Projector (PJ), Pingauge (PG), Pad (PG), Thickness gauge (TG) Dimension spec Shot1 Shot 2 Shot 3 Shot 4 Judg ment Inspection Tolerance Dim# Dimension 1 2 1 2 1 2 1 2 OK/NG Pe ma Took 0.20 1-1 1.19 1.23 1.22 1.24 1.22 1.23 1.20 1.21 0.20 0.20 1-2 1.21 1.20 1.21 1.23 1.22 OK 0.20 0.20 1.51 1.52 1.51 1.50 0.20 0.20 1.52 1.52 1.52 1.51 1.53 1.49 1.51 0.20 0.20 1.51 1.52 1.52 1.52 1.51 1.49 2-9 1.50 1.50 1.50 0.20 0.20 3-1 1.70 PJ 1.72 1.69 1.70 1.69 1.70 1.71 1.73 1.70 OK 0.20 0.20 3-2 1.70 PJ 1.71 1.72 1.69 1.70 1.71 1.72 1.71 1.72 OK 0.20 0.20 3-3 1.70 PJ 1.71 1.72 1.71 1.70 1.69 1.70 1.69 1.71 OK 0.20 0.20 3-4 1.70 1.71 1.72 1.71 1.73 1.71 1.70 1.69 1.70 OK PJ 0.20 0.20 1.72 1.73 1.70 1.71 1.71 1.73 1.71 1.71 1.72 OK 3-5 PJ 0.20 #REF 3-6 1.70 + 0.20 PЈ 1.71 1.72 1.73 1.71 1.72 1.71 1.72 Mz. Lillian Mr. Zhang Prepared Checked Mr. Li Approved 2015.01.10 2015.01.08 Date 2015.01.08 Date Date To be completed by customer:


			Signature:
Pesult:	☐ Pass	∏ Fail	☐ Special Acceptance


ABIS MOLD INJECTION PARAMETER REPORT

> 콧물Shot Typ	e: 🗸	単色	One sh	ot mold	双色	第-	-४६1st shot of 2-sh	not		双:	色第二次2nd s	hot o	f 2-sh	ot
英具编号	0-21. C.X.	11	700	品名称			模具规格(mm)	4		试模次			() ()
ool No.				rt Name			ToolL*W*H				Test tim		\dashv	
真腔数量 ₹ Cavity			1000	胶原料 w Material			颜色 Color				项目负: Project	Mana	ger	
□品总重量				<u> </u>			试模数量(啤	X)			设计工			
Gross Wt(g)			_	ess Type			Shot Qty				Design			
改模日期 Test Date				(1.8번(데 ginning Time			完成时间 Finish Time				审核Re /日期Da		d	
试模算的准备	·试模单	产品			冥温计、	油铝	机、温控箱、电子	天平	坂	相机、打	- M. 123 ASTES A. UK		口直径) 等工
条注Comments														
成型多量表M	olding l	ar am	eter SI	heet:										
			e Time						射機	温度No	zzle Temp'C			
野山町	填充时	-			¥		2		-		ne 1 Temp'C			
Time(s)			ing Time						_		ne 2 Temp'C		- 1	
			ing Time		1		-		$\overline{}$		ne 3 Temp 'C		_	
	1,202	-1000		®1st Stage			温度设定		_		ne 4 Temp C			
	射胶压	カ	2000	CLOSE TO THE COURSE	V		Temp('C) Se	etup			ot Runner Te	mn i-		
525023	Injectio			®2nd Stage					-		Cavity Temp	-		
压力Pressure (Bar) (1Mpa=10Bar =145Psi)	Pressu	re	2,17	®3rd Stage	-		-		-		Core Temp.	_	-	
(Bar)	3			∰4th Stage					-			-	\rightarrow	
/1Mrs=10Bar	保压压	カ		®1st Stage	9		- 10				Side Temp.	_		
	Holding		uic -	®2nd Stage					ØInjection Spe					
	A			®3rd Stage	-		-	-			射胶速率二段Injection Speed2			
	储料压力Charge Pressure							速度或速率 Percent of			射胶速率三段Injection Speed3			
位置 Position(mm)		常压Back Pressure									射胶速率四段Injection Speed4 保压速率一1st Holding Speed			
	-		•	Position			Speed(mm's	-						
	射胶位	射胶位置2nd Inj. End Position					Flow Rate(g/s)				nd Holding Sp			
	射胶位	₹3rd	lnj. End	Position				保压转换Turn Hold(time/pos.)						
	射胶终	射胶终止位置Inj. End Position						· ·			熔胶速率Charge Speed			
	熔胶终	止位置	Melt En	d Position	Ž.		原料干燥	千燥温度Drying Temp(に)						
	射退位	∑ Sud	k Back B	ind Position			Raw Mater	ial	干燥	ef何Dry	ing Time(H)			
	领模压	力Clan	np Press	ure),				机水Normal	Water	r	
100000	开模压	力 Ope	ning Pre	ssure			65		前棋表面 Cavity		热油Hot Oil			
模具 Tool	顶出行	€Ejec	tion Stro	oke	Ž.		S constitution			urface	冻水Cool Water			
1001	顶出次	数Cour	nt of Eje	ction			1 1 2 2 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2	实际模温		模表面	机水Normal Water		-	
			Action(2 6 6 7 6 7 6 6 6 6 6 7 7	Actual			格油Hot Oil			
VE-10	托模进			カPressure				Temperature		urface	冻水Cool Wa	ater		
項出	Forwa			党Speed	y		(-)	(%)		位表面	机水Normal Water			
Ejection	托模堤			hPressure					100	Slide	热油Hot Oil	V VOICE		
(%)	Backw		-	†Speed			-		750.5	urface	冻水Cool Wa	ator	_	
产品外展问题							40		0		1050 Jacobal VV	aici	40	
粘前模Sticki				光不良Poor Polis	hino	100	按锁Flash			型·维Str	ess Crack		法会	紋Weld L
粘后模Sticki				出不顺Uneven E	_		顶台Ejector Marks							Dark Sp
水印Water V				花Scratch Mark			变形Deformation		映射痕Jetting 執股Short Filin					Burn Ma
冷料流痕Col				Gas Trap Effe			缩水Sink Marks			段發Ga				Air Bubb
试模过程检查		_					PE/JOHIK WELKS			60,3500	,		Libr	VII DUDO
千合模动作检查				模具透水检查		_		流光	平度	松春. 1	真充30%、60%	% 90	19%	
真具顶出动作检验	=			快速填充检查		. "					2、缩水与变		-	
试想用题点基		Z/Con	nment			.0		-262			an 100	_	40	
問題: 产品毛边/														
対策: 飞模/流道		97 m +r	大/)&#</td><td>4.地大</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>言录Record</td><td>1</td><td></td><td>_</td><td>##Date</td><td></td><td></td><td>审核Reviewe</td><td>d</td><td></td><td></td><td>日期Dai</td><td>te.</td><td></td><td></td></tr><tr><td>ACTOR ACCOUNTS</td><td>2</td><td></td><td>(LI)</td><td>N,DOIL</td><td></td><td></td><td>+ Stute MEW 6</td><td>-</td><td></td><td></td><td></td><td>-</td><td>- 6</td><td></td></tr></tbody></table>											

Project Procedure

ABIS -- Project Procedure





Payment Terms

- 1. T/T: 40% Deposit,30% upon T1 Sample,30% Balance before ship ment
- 2. L/C: irrevocable 100% L/C at sight.

Workshop



Certification





Tooling Shop



QC Control

Mold Making QC main steps

Mould Design Control: Design review checklist before submitting to the customer. We will not start the steel purchasing work until get your written approval on our mold drawing.

Incoming quality control: all steel material and outsourcing standard components will be checked to ensure that they are in accordance with the BOM(QTY and material/components name specified).

In process quality control: all the machining and assembling process is under control, we have QC team to check and supervise the tolerance and processed surface to satisfy the requirements. (Mould Steel Hardness Inspection, Mould Electrodes Inspection, Mould Core and Cavity Steel Dimension Inspection, Mould Pre-Assembly Inspection)

Final quality control: within 3 days the completion of the plastic mold, we will have a thorough check for the main size of the molded plastic sample and mold to ensure that the critical or full dimension (if required) are within tolerance.

Mould Pre-Shipment Final Inspection: Free-fumigation threeplywood case packing; make sure the mold is conformity to the approved mold drawing. The spare components and easily broken components and the electrode (if required) are packaged, as well as the mold drawing and some certificated.

Plastic Molding QC main steps

Vernier caliper measurement is performe trained operators when the first product our machine, we check the contour dimer assembly status (if exist) to identify if any

The molded parts are then inspected agai experienced QA department for the full d especially the critical dimensions set by congulated the same to quality result was recorded at the same to Result will be to our QC Supervisor directly unqualified dimensions (if exist) are caused uncontrolled factors or our mistakes and the related actions to improve it.

We will trustily report the T1 result to customer to checking sometimes T1 samples need improvement samples are required by customer at first, actions to improve the mold to make sure have 0 defects. No shrinkage, warpage, flustreak, air bubble, step line, ejector mark, dimension within tolerance.

Package inspection: make sure QTY/color and weight are correct.

Packaging & Delivery

Packaging Details: Free-Fumigation Three-Plywood case

Delivery Detail: 25-35 days by sea, 3-7 days by air



Our ABIS Family



ABIS MOLD TECHNOLOGY CO., LTD



We will give our best service, quality, price and delivery time!

If you have any question just call me or send E-mail to me please!

ABIS MOLD TECHNOLOGY CO.,LTD

Daisy Wang (Overseas sales)

Web: www.abismold.com

Cell: +86-15016526799

Skype: daisymold@outlook.com

Email: Daisy@abismold.com

Add: Building B#, YingKeli Industrial Part, LongDong Community,

LongGang District, Shenzhen, China 518116

FAQ

Q: Can you do post production?

A:Some customers in addition to plastic injection require post proce ssing, assembly of their products and packaging.

Q:

Is it possible to know how are my products going on without visiting your company?

A:We will offer a detailed production schedule and send weekly reports with digital pictures and videos which show the machining progress.

Q: If you make poor quality goods, will you refund our fund?

A: As a matter of fact, we won't take a chance to do poor quality products. Meanwhile, we manufacture goods quality products until your satisfaction.

Q: What is the software you will use to check the drawing? And what is format of drawing you can check?

A: Our designers and engineers all use VISI and UG to check 2D and 3D drawings.

We can check the drawing with PDF .AI, DWG ,STP or IGS formats.

Q:How can you confirm the plastic injection mold you produce is the one we need?

A: we can provide professional mold analysis reports before mold making.

Q:What can we do if we don't have the mold drawing?

A: you will only provide the actual sample to us then we can help you to make the design injection mold drawings for your confirmation.